



 [View More](#)

PRODUCT NUMBER: 1028457

## Quiet (Corded)

Easy handling and better fit

[Learn more about our products at howardleight.com](http://howardleight.com) >

[Learn more about hearing conservation at hearforever.org](http://hearforever.org) >



Overview

### Reference Number

1028457

### Product Type

Hearing Protection

### Range

Earplugs

### Line

Reusable Earplugs

### Brand

Howard Leight by Honeywell

### Brand formerly known as

HOWARD LEIGHT

### Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades

## Quiet (Corded) - 1028457

- Fishing ■ Food Industries ■ Foundry ■ Glass Industries ■ Green Spaces
- Homeland defense ■ Industrial Cleaning ■ Iron and steel industry ■ Laboratory
- Logistics ■ Maintenance ■ Medical and Pharmaceutical ■ Metal steel ■ Mining and Quarrying
- Offshore ■ Paper Industries ■ Petro-chemical ■ Printing Industries ■ Services
- Ship Building ■ Telecoms ■ Textile Industries ■ Transportation ■ Utilities
- Water treatment ■ Welding ■ Wood Industries

### Product Use

Multiple-Use Earplug

### Features & Benefits

#### Feature

**NO-ROLL DESIGN** Easy to handle and fit in the ear canal. **BUILT-IN INSERTION STEM** Makes insertion quick and easy. **CONTOURED SHAPE** Comfortably matches contours of the ear canal. **SMOOTH, NON-IRRITATING SKIN** Provides all day comfort, easy to clean for long-term use.

#### Benefit

For great protection and comfort from a reusable earplug, Quiet provides consistent attenuation for all-day wear. Quiet requires no rolling – its built-in flexible stem adds in ease of insertion and immediate comfort. Its smooth, non-irritating skin provides all-day comfort and is easy to clean up with soap/water for extended wear.

### Technical Description

#### SNR (dB)

28

#### H (dB)

29

#### M (dB)

25

#### L (dB)

23

#### Attenuation Data

| Frequency (Hz)<br>Frequenz (Hz)<br>Fréquence (Hz)                           | 63   | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|---|------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)<br>Mittlere Dämpfung (dB)<br>Atténuation moyenne (dB) | 26.1 | 29.0 | 28.8 | 29.1 | 29.5 | 33.1 | 43.3 | 44.5 |
| Standard Deviation  | 6.1  | 6.9  | 6.4  | 7.2  | 5.1  | 5.3  | 6.9  | 3.4  |

## Quiet (Corded) - 1028457

|  |      |      |      |      |      |      |      |      |
|--|------|------|------|------|------|------|------|------|
| (dB)<br>Standardabweichung<br>(dB) Déviation<br>standard (dB)              |      |      |      |      |      |      |      |      |
| Assumed Protection<br>(dB) Angenommener<br>(dB) Protection<br>supposé (dB) | 20.0 | 22.1 | 22.4 | 21.9 | 24.4 | 27.8 | 36.4 | 41.1 |

### Size

Regular

### Color

Orange

### Shape

bell

### Corded Material

polycord

### Other Material

Foam

### Corded

Yes

### Weight (grs)

1.06

### Design Patents

Earplug w/Insertion Stem

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

152

#### EC Attestation

 EC Attestation

#### EC Attestation Number

HP/93/19a

Literature & Documents

 **E.C. Declaration of Conformity**

 **CE Certificate - Quiet (Blue Stem)**

[http://www.honeywellsafety.com/supplementary/documents\\_and\\_downloads/secured/hearin](http://www.honeywellsafety.com/supplementary/documents_and_downloads/secured/hearin)

 **EC Attestation Report - Quiet**

[http://www.honeywellsafety.com/supplementary/documents\\_and\\_downloads/secured/hearin](http://www.honeywellsafety.com/supplementary/documents_and_downloads/secured/hearin)

Photos & Images

We're sorry, there are no images available at this time.

Maintenance

**Life Cycle**

We recommend replacement every 2-4 weeks.

**Storage Information**

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

**Care Instructions**

Our reusable earplugs may be washed in warm water and allowed to air dry. Washing may be repeated several times, but we recommend replacement every 2-4 weeks. Hydrocarbon based solvents, such as alcohol, should not be used to clean reusable ear plugs. The use of such solvent based cleaners may cause reusable plugs to soften, swell, and weaken with time. Additionally, with extended use, reusable plugs must be regularly inspected for serviceability.

Packaging

**UPC Code/Box**

033552005889

**UPC Code/Case**

10033552005886

**Packaging Specs Individual Box**


Reusable Case

**Unit of Measure**

Pair

**Quantity per Box/Pack/Case**

50 Pair per Box / 10 Boxes per Case



**Quantity per Carton**

500 Pair

**Quantity for Minimum Order**

500 Pair

**Country of Origin**

Mexico